CATALOGUE 2017



LORD

Content

FREESTANDING APPLIANCES

WASHING MACHINES	W1	3
	W2	5
	W3	7
	W4	9
	W5	11
DRYER	T1	13
DISHWASHER	D3	15

BUILT-IN APPLIANCES

OVENS	B1	17
	B2	19
HOBS	IH 6070	21
	IH 6040	23
	IH 6030	25
DISHWASHERS	D1	27
	D2	29

PROFESSIONAL APPLIANCES

REFRIGERATOR	PR1	31
FREEZER	PF1	31
ACCESSORIES		33
DRAWINGS FOR INCORPORATION		34


Washing Machine 60 cm – **W1**

- Category: freestanding
- Type: front loading
- Energy efficiency class: A+++ -30 %
  - Washing efficiency class: A
  - Spin-drying efficiency class: B
- Loading capacity: 8 kg
- Volume: 63 l
- Speed rpm: 1400/min
- 15 programmes
- Touch display with additional functions (Time delay, Start/Pause with a reload function, Easy iron, Spin speed selection, Speed/Eco)
- Time delay max. 24 h
- Residual-Time indicator
- Child safety lock
- Visual and acoustic end of cycle indicator
- LED–Display (Colour of LED: Amber)
- Multiple water protection
- BLDC inverter motor

Dimensions: (H×W×D) 84.8 × 59.8 × 62 cm

Washing programmes W1

1	Cottons 20°C
2	Cottons 40°C
3	Cottons 60°C
4	Cottons 90°C
5	Easy care 30°C
6	Easy care 40°C
7	Delicates / Silk 30°C
8	Woollens / Handwash 30°C
9	AllergyPlus / Hygiene
10	Drain / Spinning
11	Extra rinse / Starching
12	Easy iron
13	Quick wash / Mixture
14	Outdoor
15	Rapid 15/30 min






Washing Machine 60 cm – **W2**

- Category: freestanding
- Type: front loading
- Energy efficiency class: A+++ -30 %
  - Washing efficiency class: A
  - Spin-drying efficiency class: B
- Loading capacity: 8 kg
- Volume: 63 l
- Speed rpm: 1200/min
- 15 programmes
- Touch display with additional functions (Time delay, Start/Pause with a reload function, Easy iron, Spin speed selection, Speed/Eco)
- Time delay max. 24 h
- Residual-Time indicator
- Child safety lock
- Visual and acoustic end of cycle indicator
- LED–Display (Colour of LED: Amber)
- Multiple water protection
- BLDC inverter motor

Dimensions: (H×W×D) 84.8 × 59.8 × 62 cm

Washing programmes W2

1	Cottons 20°C
2	Cottons 40°C
3	Cottons 60°C
4	Cottons 90°C
5	Easy care 30°C
6	Easy care 40°C
7	Delicates / Silk 30°C
8	Woollens / Handwash 30°C
9	AllergyPlus / Hygiene
10	Drain / Spinning
11	Extra rinse / Starching
12	Easy iron
13	Quick wash / Mixture
14	Outdoor
15	Rapid 15/30 min






Washing Machine 60 cm – **W3**

- Category: freestanding
- Type: front loading
- Energy efficiency class: A+++ -10 %
  - Washing efficiency class: A
  - Spin-drying efficiency class: B
- Loading capacity: 7 kg
- Volume: 55 l
- Speed rpm: 1200/min
- 15 programmes
- Touch display with additional functions (Speed, Speed/Eco, Time delay, Start/Pause with reload function
- Time delay max. 24 h
- Residual-Time indicator
- Child safety lock
- Visual and acoustic end of cycle indicator
- LED–Display (Colour of LED: Amber)
- Multiple water protection
- BLDC inverter motor

Dimensions: (H×W×D) 84.8 × 60 × 59 cm

Washing programmes W3

1	Cottons 20°C
2	Cottons 40°C
3	Cottons 40°C Eco
4	Cottons 40°C prewash
5	Cottons 60°C
6	Cottons 60°C Eco
7	Cottons 90°C
8	Easy care 20°C
9	Easy care 40°C
10	Delicates / Silk 30°C
11	Woollens / Handwash 30°C
12	Extra rinse/ Starching
13	Rapid 15/30 min
14	Quick wash / Mixture
15	Drain / Spinning





Washing Machine 60 cm – **W4**

- Category: freestanding
- Type: front loading
- Energy efficiency class: A+++
  - Washing efficiency class: A
  - Spin-drying efficiency class: C
- Loading capacity: 7 kg
- Volume: 55 l
- Speed rpm: 1200/min
- 15 programmes
- Control push buttons: 5: (Start/Pause, Speed, Time delay max. 24 h, Rinse plus, Temperature)
- Residual-Time indicator
- Visual end of cycle indicator
- Child safety lock
- LED–Display (Colour of LED: RED)
- Multiple water protection

Dimensions: (H×W×D) 84.8 × 59.8 × 59 cm

Washing programmes W4

1	Cottons
2	+ SpeedPerfect
3	+ EcoPerfect
4	+ Prewash
5	+ Easy iron
6	Rinsing / Spinning
7	Drain
8	Rapid 15 min
9	Woollens / Handwash
10	Delicates / Silk
11	Quick wash / Mixture
12	Easy care + Prewash
13	Easy care + EcoPerfect
14	Easy care + SpeedPerfect
15	Easy care






Washing Machine Slim – **W5**

- Category: freestanding
- Type: front loading
- Energy efficiency class: A+++ -10 %
  - Washing efficiency class: A
  - Spin-drying efficiency class: C
- Loading capacity: 6 kg
- Volume: 46 l
- Speed rpm: 1200/min
- 15 programmes
- Control push buttons: 7 (Speed, Time delay, Eco, Speed perfect, Start/Break/Stop, Temperature, Extra water)
- Voltage check
- Time delay max. 24 h
- Residual-Time indicator
- Child safety lock
- Visual and acoustic end of cycle indicator
- LED–Display (Colour of LED: Amber)

Dimensions: (H×W×D) 84.8 × 59.8 × 47 cm

Washing programmes W5

1	Cottons
2	Cottons + prewash
3	Cottons intensive
4	Mix 40°C
5	Delicates / Silk
6	Woollens / Handwash
7	Single rinse / Freshen up
8	Spin / Drain
9	Super 15
10	Sensitive
11	Night wash
12	Outdoor
13	Shirts / Blouses
14	Jeans
15	Easy care






Heatpump Dryer 60 cm – **T1**

- Category: freestanding
- Type: front loading
- Energy efficiency class: A++
- Loading capacity: 8 kg
- Volume: 112 l
- Noise level: 65 dB
- 15 programmes
- Touch display with additional functions (Fine-tuning of drying aim, Start/Pause, Less ironing programme length, Low temperature, Time delay max 24 h)
- Residual-Time indicator
- Easy clean filter
- Child safety lock
- Visual and acoustic end of cycle indicator
- LED–Display (Colour of LED: Amber)
- Interior tub material: stainless steel

Dimensions: (H×W×D) 84.8 × 59.8 × 63.6 cm

Drying programmes

Easy care	Iron-dry	Additional programmes	Mixture
	Cupboard-dry		Sportswear
	Cupboard-dry extra		Super 40
White / Coloured	Iron-dry		Timed 30 min. cold
	Cupboard-dry		Timed 30 min. warm
	Cupboard-dry extra		Woollens finish
			Downs
			Shirts / Blouses
			Towels





Dishwasher 60 cm – **D3**

- Category: freestanding
- Energy efficiency class: A++ (A/A)
- Energy Label: consumption 9.5 l (2.660 l), 0.93 kWh (266.0 kWh)
- Noise level: 44 dB
- Capacity: 14 dining sets in 3 levels (Lower Basket + Upper Basket + Cutlery Drawer)
- 5 programmes: Intensive 70°C, Automatic 45–65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- Load-Sensor, Aqua-Sensor
- Time-Safe (speed variabilty function), half loading
- Time delay max. 24 h
- End of cycle indicator
- DosageAssist
- Self-cleaning filter system with triple corrugated filters
- LED-Display (Colour of LED: Amber)
- Triple water protection 24 h (AquaStop)
- Innerliner: stainless steel
- BLDC inverter motor


Dimensions: (H×W×D) 84.5 × 60 × 60 cm



VarioFlex Basket



Cutlery Drawer



Upper Basket
- Adjustable Height – 3 grades (Rackmatic)
- 2 folding elements



Lower Basket
- 2 folding grades



Pyrolytic Built-In Oven – **B1**

- Category: built-in oven with pyrolytic self-cleaning
- Energy efficiency class: A -10 %
- Volume: 57 l
- Stainless steel control panel
- Metal handle
- Door with quadruple glazing
- Push-away control knob
- 8 types of heating:
  - Bottom heat
  - Circulating air
  - Circulating air-eco
  - Convectional heat
  - Full-width variable grill
  - Half-width variable grill
  - Hot-air grilling
  - Pizza
- Electronic control, digital display, „recommended temperature“ & timer, an oven with smooth sides, one-row telescopic rails, oven lighting, cooling fan
- Accessories: 1x grate, 1x universal pan, suitable for pyrolytic cleaning

Dimensions: (H×W×D) 59.5 × 59.5 × 51.5 cm



Multifunctional Built-In Oven – **B2**

- Category: multifunctional built-in oven
- Energy efficiency class: A
- Volume: 57 l
- Stainless steel control panel
- Door with double glazing
- 2 control buttons
- Metal handle
- Electromechanical control
- Electronic timer
- Oven with smooth sides & rails
- Ecolytic rear panel
- Oven lighting
- Cooling fan
- Child safety lock
- 6 types of heating:
  - Circulating air
  - Bottom heat
  - Conventional heat
  - Hot-air grilling
  - Full-width grill
  - Pizza
- Accessories: 1x enamel baking tray, 1x combination grid

Dimensions: (H×W×D) 59.5 × 59.5 × 51.5 cm



Induction Hob – **IH 6070**

- Category: built-in

Glass-ceramic induction hob
- KeraBlack+
- Rounded Edges

Control
- Rider with access to the setting of 10 levels of the performance degree (0-9 +Booster)
- 2x flexible zone
- Bridge function (connection of heating zones) witht the Booster function
- Pause+renewal of the last setting
- Temperature care function
- 4x Booster function (for all cooking zones)
- 4 concurrently usable timers + fast meal function
- Child safety lock

Installation
- Electric grid 400V/2n (2 phases), 50/60 Hz
- Input 7.4 kW
- Installation dimensions (WxDxH):
  560 x 490 mm x height of appliance: 53 mm + glass 4 mm
- Delivered with gaskets
- Power cable 5 x 1.5 mm, 1.5 m

Safety
- 4x indicator of residual heat
- Auto-Power (Delivered energy will automatically adjust to the size of the pot)
- Auto-Stop (Automatic switching off in the case of accidental switching on, long absence of the pot, brimming over or overheating)
- Protection against wrong 400 V connection

Eco-design
- Stand-by consumption <0.5 W
- 100% recyclable wrapping

Dimensions: (H×W×D) 5.7 × 59 × 52 cm



Induction Hob – **IH 6040**

- Category: built-in

Glass-ceramic induction hob
- KeraBlack+
- Rounded Edges


Control
- Rider with access to the setting of 10 levels of the performance degree (0–9 +Booster)
- Capacity technology with patented foam elements for higher reliability
- 2 big cooking zones
- 4x Booster function (for all cooking zones)
- 4 concurrently usable timers + fast meal function
- Child safety lock

Installation
- Electric grid 400 V/2n (2 phases), 50/60 Hz
- Input 7.9 kW
- Installation dimensions (WxDxH):
  560 x 490 mm x height of the appliance: 53 mm + glass 4 mm
- Delivered with gaskets
- Power cable 5 x 1.5 mm, 1.5 m

Safety
- 4x indicator of residual heat
- Auto-Power (Delivered energy will automatically adjust to the size of the pot)
- Auto-Stop (Automatic switching off in the case of accidental switching on, long absence of the pot, brimming over or overheating)
- Protection against wrong 400 V connection

Eco-design
- Stand-by consumption <0.5 W
- 100% recyclable wrapping

Dimensions: (H×W×D) 5.7 × 59 × 52 cm



Induction Hob – **IH 6030**

- Category: built-in

Glass-ceramic induction hob
- KeraBlack+
- Rounded Edges


Control
- Touch display control -/+ degrees of output (0–9)
- Capacity technology with patented foam elements for higher reliability
- 4 concurrently usable timers + fast meal function
- Child safety lock
- 4x Booster function (for all cooking zones)

Installation
- Electric grid 400 V/2n (2 phases), 50/60 Hz
- Input 7.4 kW
- Installation dimensions (WxDxH):
  560 x 490 mm x height of the appliance: 53 mm + glass 4 mm
- Delivered with gaskets
- Power cable 5 x 1.5 mm, 1.5 m

Safety
- 4x indicator of residual heat
- Auto-Power (Delivered energy will automatically adjust to the size of the pot)
- Auto-Stop (Automatic switching off in the case of accidental switching on, long absence of the pot, brimming over or overheating)
- Protection against wrong 400 V connection

Eco-design
- Stand-by consumption <0.5 W
- 100% recyclable wrapping

Dimensions: (H×W×D) 5.7 × 59 × 52 cm



Dishwasher 60 cm – **D1**

- Category: built-in
- Energy efficiency class: A++ (A/A)
- Energy Label: consumption 9.5 l (2.660 l), 0.93 kWh (266.0 kWh)
- Noise level: 44 dB
- Capacity: 14 dining sets in 3 levels (Lower Basket + Upper Basket + Cutlery Drawer)
- 5 programmes: Intensive 70°C, Automatic 45°C–65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- Time delay max. 24 h
- DosageAssist
- Load-Sensor, Aqua-Sensor, 3 in 1, water switch
- Time-Safe (speed variabilty function), half loading
- Self-cleaning filter system with triple corrugated filters
- LED-Display (Colour of LED: Red)
- Acoustic end of cycle indicator
- Info-Light (Beam on the floor)
- Variable and flexible Basket
- Triple water protection 24 h (AquaStop)
- Innerliner: stainless steel
- BLDC inverter motor


Dimensions: (H×W×D) 81.5 × 59.8 × 55 cm



VarioFlex Basket



Cutlery Drawer



Upper Basket

- Adjustable Height
  – 3 grades (Rackmatic)
- 2 folding elements



Lower Basket

- 2 folding grades



Dishwasher 45 cm – **D2**

- Category: built-in
- Energy efficiency class: A++ (A/A)
- Energy Label: consumption 9.5 l (2.660l), 0.75 kWh (211.0 kWh)
- Noise level: 44 dB
- Capacity: 10 dining sets in 3 levels (Lower Basket + Upper Basket + Cutlery Drawer)
- 6 programmes: Intensive 70°C, Automatic 45-65°C, Economy 50°C, Intensive smart 45°C, Quick Wash 45°C, Pre Rinse
- Time delay max. 24 h
- DosageAssist
- Load-Sensor, Aqua-Sensor, 3 in 1, water switch
- Time-Safe (speed variabilty function), half loading
- Self-cleaning filter system with triple corrugated filters
- LED-Display (Colour of LED: Red)
- Acoustic end of cycle indicator
- Info-Light (Beam on the floor)
- Variable and flexible Basket
- Triple water protection 24 h (AquaStop)
- Innerliner: stainless steel
- BLDC inverter motor


Dimensions: (H×W×D) 81.5 × 44.8 × 55 cm



VarioFlex Basket



Cutlery Drawer



Upper Basket
- Adjustable Height
  – 3 grades (Rackmatic)
- 2 folding elements



Lower Basket
- 2 folding grades



Refrigerator – **PR1**

- Category: refrigerator for professional gastronomy
- Consumption: 2.9 kWh/24 h
- Input: 2.5A/450 W
- Gross volume: 630 l
- Method of cooling: dynamic
- Operating ambient temperature: T (+16°C to +43°C)
- For Gn 2/1, digital indicator with alarms - HaccP

Other properties

- Gross weight: 140 kg
- Net weight: 120 kg
- Stainless lining inside
- Cooling system in the cooling part: dynamic
- Defrosting method in the cooling part: automatic
- Type of control: electronic control
- Temperature indicator of the cooling part: outer digital
- Control indicator for the activity of the cooling part: yes
- Malfunction control indicator: optical and acoustic
- Material of the fields: grates Gn 2/1 with plastic finish
- Number of fields: 3
- Out of these with adjustable height: 3
- Ventilator: yes
- Temperature range in the cooling part: -2°C to +12°C
- Cooling medium: R404a
- Handle: integrated handle
- Adjustable legs: 4
- Material of the legs: stainless steel
- Lock: yes
- Self-closing door: yes
- Input: 2.5 A/450 W
- Voltage: 220–230 V
- Length of the power cable: 200 cm
- Location of the door: on the right, interchangeable

Dimensions: (H×W×D) 202 × 65.5 × 84.6 cm

Freezer – **PF1**

- Category: freezer for professional gastronomy
- Consumption: 7.5 kWh/24 h
- Input: 4.5A/850 W
- Gross volume: 630 l
- Method of cooling: dynamic
- Operating ambient temperature: T (+16°C to +43°C)
- For Gn 2/1, digital indicator with alarms - HaccP

Other properties

- Gross weight: 140 kg
- Net weight: 120 kg
- Stainless lining inside
- Cooling system in the freezing part: dynamic
- Defrosting method: automatic
- Type of control: electronic control
- Temperature indicator: outer digital
- Control indicator of activity: yes
- Malfunction control indicator: optical and acoustic
- Material of the fields: grates Gn 2/1 with plastic finish
- Number of fields: 3
- Out of these with adjustable height: 3
- Ventilator: yes
- Temperature range in the freezing part: -15°C to -22°C
- Cooling medium: R404a
- Handle: integrated handle
- Adjustable legs: 4
- Material of the legs: stainless steel
- Lock: yes
- Self-closing door: yes
- Input: 4.5 A/850 W
- Voltage: 220–230 V
- Length of the power cable: 200 cm
- Location of the door: on the right, interchangeable

Dimensions: (H×W×D) 202 × 65.5 × 84.6 cm



ACCESSORIES



Shallow baking tray



Deep baking tray



Grate



3 - degree telescopic extensions (R+L)



1 - degree telescopic extensions (R+L)




Set for condensate drain for T1



SK1 - connecting piece for washing machine and dryer with an extension




SK2 - connecting piece for washing machine and dryer without an extension




Decorative side bar for hobs

DRAWINGS FOR INCORPORATION

• All dimensions are stated in mm




Incorporation of models: B1, B2




* Metallic front sides 20mm


Incorporation of models: B1, B2



Incorporation of model: D1



Incorporation of model: D2



Incorporation of models: IH6070, IH6040, IH6030



LORD Hausgeräte GmbH
Greschbachstraße 17
76229 Karlsruhe
Germany
info@lord.eu
office@lord.eu
www.lord.eu

Misprints reserved