

## Price Sheet

E-mail: [sales@lironlighting.com](mailto:sales@lironlighting.com)  
 Tel: 713-263-3599  
 Please contact us for any questions

| Outdoor Fixtures                                                                                                                                                                      |                                                                                                                                                        |                |         |          |                                   |             |                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------|----------|-----------------------------------|-------------|---------------------|
| <b>Wall Pack Light Fixtures - All photocell Sensor compatible / 350VAC High Voltage can be customized / 50,000 hours operation time rated / Philips LED / 4000K can be customized</b> |                                                                                                                                                        |                |         |          |                                   |             |                     |
| Picture                                                                                                                                                                               | Spec                                                                                                                                                   | Model #        | Wattage | Lumen    | Use to Replace                    | DLC Listed? | Warranty            |
|                                                                                                      | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--60<br>Beam Angle: 140°<br>(Photocell Available as add-on parts)<br>CCT: 5000K | LEDWP45W50K    | 45W     | 4500 Lm  | 175W HID or Metal Halide          | Yes, DLC    | 6 years on fixtures |
|                                                                                                                                                                                       |                                                                                                                                                        | LEDWP70W50K    | 70W     | 6800 Lm  | 250W HID or Metal Halide          | Yes, DLC    | 6 years on fixtures |
|                                                                                                                                                                                       |                                                                                                                                                        | LEDWP135W50K   | 135W    | 13000 Lm | 400W HID or Metal Halide          | Yes, DLC    | 6 years on fixtures |
|                                                                                                      | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--60<br>Beam Angle: 120°<br><b>Photocell Build-In</b><br>CCT: 5000K             | LEDWM17W50K-PC | 17W     | 1600 Lm  | 75W HID or Metal Halide           | Yes, DLC    | 6 years on fixtures |
|                                                                                                                                                                                       |                                                                                                                                                        | LEDWM25W50K-PC | 25W     | 2200 Lm  | 100W HID or Metal Halide          | Yes, DLC    | 6 years on fixtures |
|                                                                                                      | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--60<br>Beam Angle: 140°<br>(Photocell Available as add-on parts)<br>CCT: 5000K | LEDFCUWP45W50K | 45W     | 4500 Lm  | 175W HID or Metal Halide          | Yes, DLC    | 6 years on fixtures |
|                                                                                                                                                                                       |                                                                                                                                                        | LEDFCUWP70W50K | 70W     | 6800 Lm  | 250W HID or Metal Halide          | Yes, DLC    | 6 years on fixtures |
|                                                                                                    | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--60<br>Beam Angle: 120°<br>Straight Down Light                                 | LEDWM10W50K    | 10W     | 990 Lm   | 100W Incandescent Bulb or 50W HID | Yes, DLC    | 5 years on fixtures |
|                                                                                                                                                                                       |                                                                                                                                                        | LEDWM15W50K    | 15W     | 1500 Lm  | 75W HID                           | Yes, DLC    | 5 years on fixtures |
|                                                                                                    | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--60<br>Beam Angle: 120°<br>(Photocell Available as add-on parts)               | LEDSC40W50K    | 40W     | 4400 Lm  | 175W HID or Metal Halide          | Yes, DLC    | 5 years on fixtures |
| <b>*110 - 277VAC Photocell is available for \$10.00 per unit</b>                                                                                                                      |                                                                                                                                                        |                |         |          |                                   |             |                     |

**Payment Term: Prepaid or Net term with credit line approval.**  
**Please confirm the availability before order.**  
**FFA Price - Free Shipping Price**

**Free Shipping:**  
**\$3000.00 (out of TX, LA, AR)**  
**\$2000.00 (TX, LA, AR)**

## Price Sheet

E-mail: [sales@lironlighting.com](mailto:sales@lironlighting.com)  
 Tel: 713-263-3599  
 Please contact us for any questions

| Universal LED Flood Light - Photocell sensor compatible / 1/2" Knuckle bracket to install / Trunnion Mount is Optional to order                  |                                                                                                                                                         |                   |         |            |                           |             |                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|------------|---------------------------|-------------|---------------------|
| Picture                                                                                                                                          | Spec                                                                                                                                                    | Model #           | Wattage | Lumen      | Use to Replace            | DLC Listed? | Warranty            |
|                                                                 | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--+40<br>Beam Angle: 160°<br>Lumen: 110 lm/W<br>CCT: 5000K                       | LEDL15W50K277V-KN | 15W     | 1650 Lumen | 100 W HID or Metal Halide | Yes, DLC    | 5 years on fixtures |
|                                                                                                                                                  |                                                                                                                                                         | LEDL30W50K277V-KN | 30W     | 3300 Lumen | 175W HID or Metal Halide  | Yes, DLC    | 5 years on fixtures |
| Compact Vapor Light Fixtures - Photocell sensor compatible / Two ways to install - suspend or surface mount / 2 Ft needs to pre-order            |                                                                                                                                                         |                   |         |            |                           |             |                     |
| Picture                                                                                                                                          | Spec                                                                                                                                                    | Model #           | Wattage | Lumen      | Use to Replace            | DLC Listed? | Warranty            |
|                                                                 | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI > 80<br>Temp. :-30--+40<br>Beam Angle: 160°<br>Lumen: 110 lm/W<br>Linkable<br>CCT: 5000K           | LEDCMTP2FT50K20W  | 20W     | 2200 Lumen | 2' Fluorescent Vapor Tigh | Yes, DLC    | 5 years on fixtures |
|                                                                                                                                                  |                                                                                                                                                         | LEDCMTP4FT50K40W  | 40W     | 4400 Lumen | 4' Fluorescent Vapor Tigh | Yes, DLC    | 5 years on fixtures |
| LED Low Profile Canopy Light - Design for parking garage, exterior hallway and low ceiling porch / CREE COB Technology / 4000K can be customized |                                                                                                                                                         |                   |         |            |                           |             |                     |
| Picture                                                                                                                                          | Spec                                                                                                                                                    | Model #           | Wattage | Lumen      | Use to Replace            | DLC Listed? | Warranty            |
|                                                                | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI: > 75 °C<br>CCT: 5000K<br>Temp. :-30--+60<br>Beam Angle: 120°<br>Finishing: Black<br>Surface Mount | LEDCNP45W50K      | 45W     | 4350 Lm    | 150W HID or Metal Halide  | Yes, DLC    | 6 years on fixtures |
|                                                                                                                                                  |                                                                                                                                                         | LEDCNP70W50K      | 70W     | 6700 Lm    | 250W HID or Metal Halide  | Yes, DLC    | 6 years on fixtures |

**Payment Term: Prepaid or Net term with credit line approval.**  
**Please confirm the availability before order.**  
**FFA Price - Free Shipping Price**

**Free Shipping:**  
**\$3000.00 (out of TX, LA, AR)**  
**\$2000.00 (TX, LA, AR)**

## Price Sheet

E-mail: [sales@lironlighting.com](mailto:sales@lironlighting.com)

Tel: 713-263-3599

Please contact us for any questions

**LED Parking Lot/Area Lighting Fixture 2.0 / 3.0 - Four Types of Installation handles / Accessories available for variable application / Color finishings can be customized - White, Dark Blue, Gray and Black / Philips LED**

| Picture                                                                           | Spec                                                                                                                                                                              | Model #       | Wattage | Lumen     | Use to Replace            | DLC Listed? | Warranty            |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|-----------|---------------------------|-------------|---------------------|
|  | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI >80 °C<br>Color: 5000K<br>Temp. :-30-+60<br>Beam Angle: 120°<br>Dimmable: No<br>Finishing: Dark Bronze<br>Photocell Optional | LEDPK150W50K3 | 150W    | 19,500 Lm | 400W HID or Metal Halide  | Yes, DLC    | 5 years on fixtures |
|                                                                                   |                                                                                                                                                                                   | LEDPK300W50K3 | 300W    | 39,000 Lm | 1000W HID or Metal Halide | Yes, DLC    | 5 years on fixtures |
|  | Moisture: Wet Location<br>Voltage: 110-277VAC<br>CRI >80 °C<br>Color: 5000K<br>Temp. :-30-+60<br>Beam Angle: 120°<br>Dimmable: No<br>Finishing: Dark Bronze<br>Photocell Optional | LEDPK150W50K  | 150W    | 15,000 Lm | 400W HID or Metal Halide  | Yes, DLC    | 5 years on fixtures |
|                                                                                   |                                                                                                                                                                                   | LEDPK300W50K  | 300W    | 30,000 Lm | 1000W HID or Metal Halide | Yes, DLC    | 5 years on fixtures |

**LED Highbay Fixture - LIRON R&D product / Super long life time / 4 ways installation method / 90Degree Angel Cover / Philips LED / 4000K can be customized**

| Picture                                                                            | Spec                                                                                                                                                        | Model #       | Wattage | Lumen     | Use to Replace           | DLC Listed? | Warranty |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------|-----------|--------------------------|-------------|----------|
|  | Moisture: Wet Location<br>Voltage: 120-305VAC<br>CRI >80 °C<br>Color: 5000K<br>Temp. :-30-+60<br>Beam Angle: 120°/90°<br>Dimmable: Yes<br>Finishing: Silver | LEDMBH150W50K | 150W    | 18,350 Lm | 400W HID or Metal Halide | Yes, DLC    | 8 years  |
|                                                                                    |                                                                                                                                                             | LEDMBH200W50K | 200W    | 24,800 Lm | 600W HID or Metal Halide | Yes, DLC    | 8 years  |

**Payment Term: Prepaid or Net term with credit line approval.**

**Please confirm the availability before order.**

**FFA Price - Free Shipping Price**

**Free Shipping:**

**\$3000.00 (out of TX, LA, AR)**

**\$2000.00 (TX, LA, AR)**

## Price Sheet

E-mail: [sales@lironlighting.com](mailto:sales@lironlighting.com)  
Tel: 713-263-3599  
Please contact us for any questions

| LED Gaslite Canopy 2.0 - Economical design for gas station / Meanwell Driver / Two Installation Methods / Philips LED / 4000K can be customized                                           |                                                                                                                                                                             |                |         |           |                          |             |                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------|-----------|--------------------------|-------------|---------------------|
| Picture                                                                                                                                                                                   | Spec                                                                                                                                                                        | Model #        | Wattage | Lumen     | Use to Replace           | DLC Listed? | Warranty            |
|                                                                                                          | Moisture: Wet Location<br>Voltage: AC 120-277VAC<br>CRI >80 °C<br>Color: 5000K<br>Temp. :-30-+60<br>Beam Angle: 120°/90°<br>Dimmable: No<br>Finishing: White<br>Philips LED | LEDCNP130W50K2 | 130W    | 15,600 lm | 400W HID or Metal Halide | Yes, DLC    | 5 years on fixtures |
| LED Dusk to Dawn Security Fixture - Photocell sensor built-in / Replace short pole street light or Security Light Fixture/ CREE COB Technology / 2200K (Amber) or 4000K can be customized |                                                                                                                                                                             |                |         |           |                          |             |                     |
| Picture                                                                                                                                                                                   | Spec                                                                                                                                                                        | Model #        | Wattage | Lumen     | Use to Replace           | DLC Listed? | Warranty            |
|                                                                                                          | Moisture: Wet Location<br>Voltage: 120-277VAC<br>CRI >80 °C<br>Color: 5000K<br>Temp. :-30-+60<br>Beam Angle: 120°<br>Dimmable: No<br>Finishing: Dark Bronze                 | LEDSPK45W50K   | 45W     | 4500 Lm   | 175W HID or Metal Halide | Yes, DLC    | 6 years on fixtures |
|                                                                                                                                                                                           |                                                                                                                                                                             | LEDSPK70W50K   | 70W     | 7000 Lm   | 250W HID or Metal Halide | Yes, DLC    | 6 years on fixtures |

**Payment Term: Prepaid or Net term with credit line approval.**  
**Please confirm the availability before order.**  
**FFA Price - Free Shipping Price**

**Free Shipping:**  
**\$3000.00 (out of TX, LA, AR)**  
**\$2000.00 (TX, LA, AR)**