



5.5 500 mg/kg
LWA
LWA
LWA




1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83

LWA



7325691A




1 2 3 4 5 6 7 8 9 10 11 12

0.5 mm

mm















0.5mm
1 2 3 4 5 6 7 8 9 10
mm



[Blank white rectangular label]





Bodocat®

VT H529

67 66 65 64 63 62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



mm

10

9

8

7

6

5

4

3

2

1

0.5 mm

mm





53

54

55

56

57

58

59

60


61

62

63

64

65









Bobcat®

LT H529M

BRIDGE



3 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71



S70

Bobcat





KAS-7011

DIESEL



S70

LWA
101 dB